|  | Application No.  | Applicant(s)   |
|--|--|--|
| Notice of Allowability   | 10/764,624   | SCHICK, KARL G.  |
|  | Examiner   | Art Unit   |
|  | Ernest G. Therkorn   | 1723   |
| The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313  | (OR REMAINS) CLOSED in this ap<br>or other appropriate communicatior<br>GHTS. This application is subject to | plication. If not included<br>will be mailed in due course. THIS |
| 1. X This communication is responsive to <u>January 26, 2004&amp;Jur</u>   | ne 30, 2004.   | •  |
| 2. The allowed claim(s) is/are <u>1-11, 20-28,47-53, and 56-63</u> .   |  |  |
| 3. Acknowledgment is made of a claim for foreign priority undependent on the control of the cont |  |  |
| 1. Certified copies of the priority documents have   | •  |  |
| 2. Certified copies of the priority documents have   |  |  |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the   |  |  |
| International Bureau (PCT Rule 17.2(a)).   |  |  |
| * Certified copies not received:   |  |  |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |  | complying with the requirements                                  |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give  | tted. Note the attached EXAMINER is reason(s) why the oath or declara  | 'S AMENDMENT or NOTICE OF tion is deficient.                     |
| 5. CORRECTED DRAWINGS ( as "replacement sheets") must  | t be submitted.  |  |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |  |  |
| 1)  hereto or 2)  to Paper No./Mail Date   |  |  |
| (b) ☐ including changes required by the attached Examiner's<br>Paper No./Mail Date   | Amendment / Comment or in the C  | Office action of   |
| Identifying indicia such as the application number (see 37 CFR 1.1 each sheet. Replacement sheet(s) should be labeled as such in the   |  |  |
| <ol> <li>DEPOSIT OF and/or INFORMATION about the depos<br/>attached Examiner's comment regarding REQUIREMENT F</li> </ol>  | sit of BIOLOGICAL MATERIAL r<br>FOR THE DEPOSIT OF BIOLOGIC  | nust be submitted. Note the<br>AL MATERIAL.                      |
|  |  |  |
|  |  |  |
| Attachment(s)  |  |  |
| 1. Notice of References Cited (PTO-892)  | 5. Notice of Informal P  | atent Application (PTO-152)                                      |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948)   | 6. Interview Summary   | (PTO-413),   |
| 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date  | Paper No./Mail Dat   | e<br>nent/Comment  |
| 4. Examiner's Comment Regarding Requirement for Deposit  | <sup>#</sup> 8. ⊠ Examiner's Stateme   | ent of Reasons for Allowance                                     |
| of Biological Material   | 9.   |  |
|  | J  |  |
|  |  |  |
|  |  |  |
|  |  |  |

M

Application/Control Number: 10/764,624

Art Unit: 1723

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Prior to the first line of page 1 of the specification, the following has been inserted:

## - - RELATED APPLICATIONS

This application is a division of application No. 10/172,082, filed June 14, 2002, now U.S. Patent No. 6,712,963. - -

The following is an examiner's statement of reasons for allowance: Filvek, "Volumetric Disposable Liquid Filling System Schematic"; Webpage of "Integrate Solution for Biopharmaceutical Fluid Handling at <a href="www.tc-tech.com">www.tc-tech.com</a>; Schick (U.S. Patent No. 5,947,382); and Schick (U.S. Patent No. 6,350,382) are considered to be the closest art. The case has been allowed because the claimed combination of elements would not have been obvious from Filvek, "Volumetric Disposable Liquid Filling System Schematic"; Webpage of "Integrate Solution for Biopharmaceutical Fluid Handling at <a href="www.tc-tech.com">www.tc-tech.com</a>; Schick (U.S. Patent No. 5,947,382); and Schick (U.S. Patent No. 6,350,382).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to E. Therkorn at telephone number (571) 272-1149. The official fax number is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Crast 6 the low

> Ernest G. Therkorn **Primary Examiner** Art Unit 1723

**EGT** September 7, 2005